

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 13.03.2017

V - 5

Revision: 13.03.2017

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** S100 Visor & Helmet Cleaner
- **Article number:** 2409
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** Void
- **Application of the substance / the mixture** Cleaning agent/ Cleaner
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Dr.O.K.Wack Chemie GmbH  
Bunsenstrasse 6  
D - 85053 Ingolstadt  
Tel. +49 841-6350 Fax +49 841-63558  
www.wackchem.com  
wack.info@wackchem.com
- **Further information obtainable from:** Safety department
- **1.4 Emergency telephone number:** During business hours: +49 841 63523

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS02 flame



Flam. Liq. 3 H226 Flammable liquid and vapour.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms** GHS02
- **Signal word** Warning
- **Hazard statements**  
H226 Flammable liquid and vapour.
- **Precautionary statements**  
P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of the substances with nonhazardous additions.

#### Dangerous components:

CAS: 64-17-5 EINECS: 200-578-6 Reg.nr.: 01-2119457610-43-xxxx	ethanol	 Flam. Liq. 2, H225;  Eye Irrit. 2, H319	10-<20%
---	---------	--	---------

- **SVHC** None

(Contd. on page 2)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 13.03.2017

V - 5

Revision: 13.03.2017

**Trade name: S100 Visor & Helmet Cleaner**

(Contd. of page 1)

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

##### · 4.1 Description of first aid measures

- **General information:** Take affected persons out into the fresh air.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
Generally the product does not irritate the skin.  
Rinse with warm water.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**  
If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label.
- **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

#### SECTION 5: Firefighting measures

##### · 5.1 Extinguishing media

- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

#### SECTION 6: Accidental release measures

##### · 6.1 Personal precautions, protective equipment and emergency procedures

- Ensure adequate ventilation.
- Keep away from ignition sources.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

#### SECTION 7: Handling and storage

##### · 7.1 Precautions for safe handling

- The usual precautionary measures are to be adhered to when handling chemicals.
- **Information about fire - and explosion protection:** Keep ignition sources away - Do not smoke.

(Contd. on page 3)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.03.2017

V - 5

Revision: 13.03.2017

**Trade name: S100 Visor & Helmet Cleaner**

(Contd. of page 2)

- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Store in cool, dry conditions in well sealed receptacles.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

#### · DNELs

##### 64-17-5 ethanol

Oral	DNEL system. effects (long-term)	87 mg/kg KG/Tag (Consumer)
Dermal	DNEL systemic effects	343 mg/kg (Worker)
	DNEL system. effects (long-term)	206 mg/kg KG/Tag (Consumer)
Inhalative	DNEL system. effects (long-term)	114 mg/m <sup>3</sup> (Consumer)
		950 mg/m <sup>3</sup> (Worker)
	DNEL local effects (short-term)	950 mg/m <sup>3</sup> (Consumer) 1900 mg/m <sup>3</sup> (Worker)

#### · PNECs

##### 64-17-5 ethanol

PNEC	0.79 mg/l (Meerwasser)
	0.96 mg/l (fresh water)

- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Wash hands before breaks and at the end of work.
- **Respiratory protection:** Not necessary if room is well-ventilated.
- **Protection of hands:**  
Preventive skin protection by use of skin-protecting agents is recommended.  
After each cleaning use treatment creams, for very dry skin greasy ointments.
- **Material of gloves** Not required.
- **Penetration time of glove material** Not required.
- **Eye protection:** Not required.

### SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

##### · General Information

##### · Appearance:

**Form:** Fluid

(Contd. on page 4)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 13.03.2017

V - 5

Revision: 13.03.2017

**Trade name: S100 Visor & Helmet Cleaner**

(Contd. of page 3)

<b>Colour:</b>	Clear
· <b>Odour:</b>	Fruit-like
· <b>Odour threshold:</b>	Not determined
· <b>pH-value:</b>	Neutral
· <b>Change in condition</b>	
<b>Melting point/freezing point:</b>	< -5 °C
<b>Initial boiling point and boiling range:</b>	78 - 100 °C
· <b>Flash point:</b>	28 °C
· <b>Ignition temperature:</b>	Not determined
· <b>Auto-ignition temperature:</b>	Product is not selfigniting.
· <b>Explosive properties:</b>	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· <b>Explosion limits:</b>	
<b>Lower:</b>	Void
<b>Upper:</b>	Void
· <b>Vapour pressure at 20 °C:</b>	28 hPa
· <b>Density at 20 °C:</b>	0.97 +/- 0.02 g/cm <sup>3</sup>
· <b>Solubility in / Miscibility with water:</b>	Soluble.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined
<b>Kinematic:</b>	Not determined
· <b>9.2 Other information</b>	No further relevant information available.

**SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Reacts with strong oxidising agents.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** Store away from oxidising agents.
- **10.6 Hazardous decomposition products:**  
No decomposition if used and stored according to specifications.  
In case of fire, the following can be released:  
Carbon monoxide and carbon dioxide

**SECTION 11: Toxicological information**

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

**64-17-5 ethanol**

Oral	LD50	10470 mg/kg (rat)
Dermal	LD50	> 2000 mg/kg (rabbit)

(Contd. on page 5)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.03.2017

V - 5

Revision: 13.03.2017

**Trade name: S100 Visor & Helmet Cleaner**

(Contd. of page 4)

Inhalative	LC50/4 h	>20 mg/l (mouse)
------------	----------	------------------

- **Specific symptoms in biological assay:** Not determined
- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

#### · 12.1 Toxicity

##### · Aquatic toxicity:

##### 64-17-5 ethanol

EC50/48h	> 10000 mg/l (daphnia magna)
----------	------------------------------

LC50/48h	8140 mg/l (leuciscus idus)
----------	----------------------------

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

#### · 13.1 Waste treatment methods

- **Recommendation** Disposal must be made according to official regulations.

##### · European waste catalogue

20 01 30	detergents other than those mentioned in 20 01 29
----------	---

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

EU  
(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 13.03.2017

V - 5

Revision: 13.03.2017

**Trade name: S100 Visor & Helmet Cleaner**

(Contd. of page 5)

**SECTION 14: Transport information**

· <b>14.1 UN-Number</b> · <b>ADR, ADN, IMDG, IATA</b>	Void
· <b>14.2 UN proper shipping name</b> · <b>ADR, ADN, IMDG, IATA</b>	Void
· <b>14.3 Transport hazard class(es)</b> · <b>ADR, ADN, IMDG, IATA</b> · <b>Class</b>	Void
· <b>14.4 Packing group</b> · <b>ADR, IMDG, IATA</b>	Void
· <b>14.5 Environmental hazards:</b> · <b>Marine pollutant:</b>	None No
· <b>14.6 Special precautions for user</b>	None
· <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>ADR</b> · <b>Remarks:</b>	Not dangerous good. ADR Special Provisions No.144.
· <b>IMDG</b> · <b>Remarks:</b>	Not dangerous good. IMDG-Code Special Provisions 144.
· <b>IATA</b> · <b>Remarks:</b>	Not dangerous good. IATA Special Provisions No. A 58.
· <b>UN "Model Regulation":</b>	Void

**SECTION 15: Regulatory information**

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**  
No further relevant information available.
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category P5c** FLAMMABLE LIQUIDS
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5,000 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50,000 t
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has been carried out.

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**  
H225 Highly flammable liquid and vapour.  
H319 Causes serious eye irritation.
- **Abbreviations and acronyms:**  
Flam. Liq. 2: Flammable liquids – Category 2  
Flam. Liq. 3: Flammable liquids – Category 3  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
- **\* Data compared to the previous version altered.**